

平成28年度後期高齢者歯科健診結果のまとめ

兵庫県健康福祉部健康局健康増進課調べ



1 調査項目

全 体		市町数
対象者数		33
受診者数		33
現在歯数		31
義歯の装着状況		30
咬合（臼歯部）の状態		25
歯肉出血（BOP）		29
歯周ポケット（PD）		29
咀嚼能力評価		26
舌機能評価		23
嚥下機能評価		25
口腔清掃状態		29
定期的な歯科健診の受診状況		31
8020目標値達成者数		31

2 受診率

単位 (%)



全 体	全 県	地 域 別										
		神 戸	阪神南	阪神北	東播磨	北播磨	中播磨	西播磨	但 馬	丹 波	淡 路	
	1.0	-	1.5	0.6	2.1	0.6	0.2	0.6	0.8	3.0	1.4	
男	1.4	-	5.1	0.7	2.6	0.8	0.2	0.7	1.0	2.9	1.6	
女	1.1	-	5.2	0.6	1.8	0.5	0.1	0.5	0.7	3.1	1.3	
75歳	1.5	-	1.9	0.8	3.1	1.2	0.2	0.9	1.7	3.2	2.1	
~79歳												
男	1.9	-	6.3	0.8	3.4	1.3	0.2	1.2	1.7	2.7	2.2	
女	1.8	-	6.6	0.8	2.9	1.1	0.2	0.7	1.7	3.5	2.1	
80歳	1.2	-	1.9	0.9	2.3	0.8	0.2	0.6	0.7	2.8	1.5	
~84歳												
男	1.6	-	5.7	1.0	2.6	0.9	0.2	0.6	0.8	3.0	1.7	
女	1.5	-	6.6	0.8	2.0	0.7	0.1	0.7	0.7	2.6	1.4	
85歳	0.2	-	0.1	0.0	0.1	0.2	0.1	0.2	0.3	-	1.0	
~89歳												
男	0.3	-	0.4	0.1	0.2	0.4	0.1	0.3	0.4	-	0.9	
女	0.2	-	0.7	0.0	0.1	0.1	0.0	0.2	0.2	-	1.0	
90歳	0.1	-	0.0	0.0	0.1	0.1	0.1	0.0	0.1	-	0.2	
~94歳												
男	0.1	-	0.3	0.0	0.1	0.1	0.1	0.0	0.0	-	0.4	
女	0.0	-	0.1	0.0	0.0	0.0	0.1	0.0	0.1	-	0.2	
95歳以上	0.0	-	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-	-	
男	0.0	-	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-	-	
女	0.0	-	0.0	0.0	0.0	0.0	0.1	0.0	0.5	-	-	



3 一人あたり現在歯数

単位(本)

		全 県	地 域 別									
			神 戸	阪神南	阪神北	東播磨	北播磨	中播磨	西播磨	但 馬	丹 波	淡 路
全 体		20.8	22.6	20.9	22.5	19.7	20.4	19.8	22.0	16.7	19.2	17.9
	男	20.6	22.6	20.7	22.4	19.3	20.7	19.7	22.3	16.4	19.4	17.9
	女	21.0	22.6	21.1	22.6	20.1	20.1	19.9	21.7	17.8	19.1	17.8
75歳		21.9	22.6	21.8	23.9	21.1	22.1	22.1	23.0	18.9	19.4	20.1
	男	21.6	22.6	21.4	24.4	20.8	22.2	21.3	23.1	17.2	20.1	19.3
~79歳	女	22.1	22.6	22.2	23.5	21.4	22.0	22.7	22.9	20.6	19.0	20.8
80歳		18.7	-	19.7	20.7	17.2	18.3	18.9	22.3	14.8	19.0	16.8
	男	18.8	-	19.8	20.4	16.5	19.1	21.3	24.1	15.0	18.7	18.9
~84歳	女	18.7	-	19.7	21.0	17.8	17.3	15.7	21.2	14.7	19.2	15.2
85歳		14.5	-	19.1	18.9	22.6	16.7	10.3	16.5	4.4	-	12.6
	男	13.6	-	11.0	16.0	19.3	18.4	9.8	13.8	12.5	-	11.1
~89歳	女	16.4	-	21.8	26.0	27.5	13.0	11.3	21.4	8.3	-	13.8
90歳		18.8	-	26.0	27.5	9.5	25.7	8.0	-	8.0	-	21.7
	男	20.1	-	25.0	30.0	12.0	25.0	0.0	-	-	-	22.0
~94歳	女	17.4	-	27.0	25.0	7.0	27.0	12.0	-	8.0	-	21.0
95歳以上		9.8	-	-	-	-	3.0	23.0	2.0	10.5	-	-
	男	3.0	-	-	-	-	3.0	-	-	-	-	-
	女	11.5	-	-	-	-	-	23.0	2.0	10.5	-	-





4 義歯の装着状況

		全 県 (%)		
		使用して いる	使用して いない	不明
全 体		45.9	41.8	12.3
	男	46.6	40.5	12.9
	女	45.3	42.8	11.9
75歳		44.0	46.0	10.0
	男	45.2	44.3	10.5
~79歳	女	43.0	47.4	9.5
80歳		51.4	33.9	14.7
	男	51.1	33.7	15.2
~84歳	女	51.7	34.1	14.3
85歳		36.9	16.4	46.7
	男	39.7	15.9	44.4
~89歳	女	33.9	16.9	49.2
90歳		43.8	31.3	25.0
	男	37.5	37.5	25.0
~94歳	女	50.0	25.0	25.0
95歳以上		80.0	20.0	0.0
	男	100.0	0.0	0.0
	女	75.0	25.0	0.0

		75～79歳 (%)			80～84歳 (%)			85～89歳 (%)		
		使用している	使用していない	不明	使用している	使用していない	不明	使用している	使用していない	不明
全 県		44.0	46.0	10.0	51.4	33.9	14.7	36.9	16.4	46.7
	男女	45.2 43.0	44.3 47.4	10.5 9.5	51.1 51.7	33.7 34.1	15.2 14.3	39.7 33.9	15.9 16.9	44.4 49.2
神 戸		40.4	57.7	1.9	-	-	-	-	-	-
	男女	42.3 39.0	55.5 59.3	2.1 1.7	-	-	-	-	-	-
阪神南		41.1	47.6	11.4	51.2	39.1	9.7	31.3	18.8	50.0
	男女	44.8 38.4	45.6 49.0	9.7 12.6	52.9 50.2	35.6 41.1	11.5 8.7	50.0 25.0	50.0 8.3	0.0 66.7
阪神北		27.2	51.8	21.1	37.2	39.5	23.3	14.3	0.0	85.7
	男女	18.9 34.4	54.7 49.2	26.4 16.4	37.2 37.2	41.9 37.2	20.9 25.6	20.0 0.0	0.0 0.0	80.0 100.0
東播磨		74.4	19.8	5.8	75.9	21.0	3.1	100.0	0.0	0.0
	男女	72.6 76.0	21.8 18.0	5.6 6.0	73.6 78.1	22.9 19.2	3.5 2.6	100.0 100.0	0.0 0.0	0.0 0.0
北播磨		34.4	51.0	14.6	47.6	28.6	23.8	31.6	26.3	42.1
	男女	31.6 37.5	54.4 47.2	13.9 15.3	45.7 50.0	30.4 26.3	23.9 23.7	30.8 33.3	30.8 16.7	38.5 50.0
中播磨		47.8	44.8	7.5	48.6	40.0	11.4	66.7	22.2	11.1
	男女	50.0 45.9	40.0 48.6	10.0 5.4	40.0 60.0	45.0 33.3	15.0 6.7	50.0 100.0	33.3 0.0	16.7 0.0
西播磨		23.6	41.7	34.7	22.6	50.9	26.4	45.5	18.2	36.4
	男女	16.7 33.3	45.2 36.7	38.1 30.0	21.1 23.5	52.6 50.0	26.3 26.5	83.3 0.0	0.0 40.0	16.7 60.0
但 馬		49.4	50.6	0.0	76.9	23.1	0.0	87.5	12.5	0.0
	男女	53.8 44.7	46.2 55.3	0.0 0.0	72.7 80.0	27.3 20.0	0.0 0.0	100.0 75.0	0.0 25.0	0.0 0.0
丹 波		41.9	55.4	2.7	42.9	52.4	4.8	-	-	-
	男女	48.1 38.3	48.1 59.6	3.7 2.1	51.9 36.1	44.4 58.3	3.7 5.6	-	-	-
淡 路		10.3	23.7	66.0	10.2	26.5	63.3	21.3	14.9	63.8
	男女	15.1 6.0	17.8 28.9	67.1 65.1	0.0 17.9	38.1 17.9	61.9 64.3	13.6 28.0	9.1 20.0	77.3 52.0

		90～94歳 (%)			95歳以上 (%)		
		使用している	使用していない	不明	使用している	使用していない	不明
全 県		43.8	31.3	25.0	80.0	20.0	0.0
	男女	37.5 50.0	37.5 25.0	25.0 25.0	100.0 75.0	0.0 25.0	0.0 0.0
神 戸		-	-	-	-	-	-
	男女	-	-	-	-	-	-
阪神南		50.0	50.0	0.0	-	-	-
	男女	100.0 0.0	0.0 100.0	0.0 0.0	-	-	-
阪神北		0.0	0.0	100.0	-	-	-
	男女	0.0 0.0	0.0 0.0	100.0 100.0	-	-	-
東播磨		50.0	50.0	0.0	-	-	-
	男女	0.0 100.0	100.0 0.0	0.0 0.0	-	-	-
北播磨		33.3	33.3	33.3	100.0	0.0	0.0
	男女	50.0 0.0	50.0 0.0	0.0 100.0	100.0 -	0.0 -	0.0 -
中播磨		100.0	0.0	0.0	0.0	100.0	0.0
	男女	100.0 100.0	0.0 0.0	0.0 0.0	-	-	-
西播磨		-	-	-	100.0	0.0	0.0
	男女	-	-	-	100.0	0.0	0.0
但 馬		100.0	0.0	0.0	100.0	0.0	0.0
	男女	-	-	-	-	-	-
丹 波		-	-	-	-	-	-
	男女	-	-	-	-	-	-
淡 路		0.0	66.7	33.3	-	-	-
	男女	0.0 0.0	50.0 100.0	50.0 0.0	-	-	-





5 咬合(臼歯部)の状態

		全県 (%)			
		両方	片方	噛めない	不明
全	体	66.2	8.2	3.1	22.5
	男	65.4	8.3	3.8	22.5
	女	66.9	8.1	2.4	22.5
年	75歳	73.4	6.8	2.9	16.9
	~79歳	72.6	7.0	3.6	16.8
	男	74.1	6.7	2.3	16.9
	女	49.5	11.3	3.9	35.3
齢	80歳	49.3	11.6	5.0	34.1
	~84歳	49.7	11.0	2.9	36.4
	男	20.9	19.1	1.7	58.3
	女	22.4	13.8	1.7	62.1
別	85歳	19.3	24.6	1.8	54.4
	~89歳	50.0	0.0	0.0	50.0
	90歳	62.5	0.0	0.0	37.5
	~94歳	37.5	0.0	0.0	62.5
95歳以上	男	100.0	0.0	0.0	0.0
	女	0.0	0.0	0.0	100.0

			75～79歳 (%)				80～84歳 (%)			
			両方	片方	嗜めない	不明	両方	片方	嗜めない	不明
全  県			73.4	6.8	2.9	16.9	49.5	11.3	3.9	35.3
	男		72.6	7.0	3.6	16.8	49.3	11.6	5.0	34.1
	女		74.1	6.7	2.3	16.9	49.7	11.0	2.9	36.4
神  戸			95.2	3.2	1.6	0.0	-	-	-	-
	男		95.0	3.3	1.7	0.0	-	-	-	-
	女		95.3	3.2	1.5	0.0	-	-	-	-
阪神南			56.8	0.8	0.0	42.4	53.8	0.0	0.0	46.2
	男		57.1	2.0	0.0	40.8	59.3	0.0	0.0	40.7
	女		56.5	0.0	0.0	43.5	50.0	0.0	0.0	50.0
阪神北			7.9	6.1	0.0	86.0	7.0	2.3	1.2	89.5
	男		7.5	5.7	0.0	86.8	9.3	0.0	2.3	88.4
	女		8.2	6.6	0.0	85.2	4.7	4.7	0.0	90.7
東播磨			70.7	18.3	6.2	4.8	70.5	20.7	6.1	2.7
	男		73.8	17.1	7.1	2.0	71.5	21.5	6.3	0.7
	女		67.8	19.5	5.2	7.5	69.5	19.9	6.0	4.6
北播磨			63.6	9.3	11.9	15.2	45.2	16.7	9.5	28.6
	男		64.6	7.6	13.9	13.9	41.3	15.2	15.2	28.3
	女		62.5	11.1	9.7	16.7	50.0	18.4	2.6	28.9
中播磨			0.0	0.0	0.0	100.0	0.0	0.0	0.0	100.0
	男		0.0	0.0	0.0	100.0	0.0	0.0	0.0	100.0
	女		0.0	0.0	0.0	100.0	0.0	0.0	0.0	100.0
西播磨			48.1	5.6	0.0	46.3	56.8	5.4	0.0	37.8
	男		36.7	10.0	0.0	53.3	54.5	0.0	0.0	45.5
	女		62.5	0.0	0.0	37.5	57.7	7.7	0.0	34.6
但  馬			40.7	11.1	3.7	44.4	72.7	9.1	9.1	9.1
	男		43.3	13.3	6.7	36.7	50.0	25.0	0.0	25.0
	女		37.5	8.3	0.0	54.2	89.7	0.0	14.3	0.0
丹  波			-	-	-	-	-	-	-	-
	男		-	-	-	-	-	-	-	-
	女		-	-	-	-	-	-	-	-
淡  路			33.3	0.6	0.0	66.0	36.7	0.0	0.0	63.3
	男		31.5	1.4	0.0	67.1	38.1	0.0	0.0	61.9
	女		34.9	0.0	0.0	65.1	35.7	0.0	0.0	64.3

			85～89歳 (%)				90～94歳 (%)			
			両方	片方	嗜めない	不明	両方	片方	嗜めない	不明
全  県			20.9	19.1	1.7	58.3	50.0	0.0	0.0	50.0
	男		22.4	13.8	1.7	62.1	62.5	0.0	0.0	37.5
	女		19.3	24.6	1.8	54.4	37.5	0.0	0.0	62.5
神  戸			-	-	-	-	-	-	-	-
	男		-	-	-	-	-	-	-	-
	女		-	-	-	-	-	-	-	-
阪神南			50.0	0.0	0.0	50.0	50.0	0.0	0.0	50.0
	男		50.0	0.0	0.0	50.0	100.0	0.0	0.0	0.0
	女		50.0	0.0	0.0	50.0	0.0	0.0	0.0	100.0
阪神北			0.0	14.3	0.0	85.7	0.0	0.0	0.0	100.0
	男		0.0	20.0	0.0	80.0	0.0	0.0	0.0	100.0
	女		0.0	0.0	0.0	100.0	0.0	0.0	0.0	100.0
東播磨			60.0	20.0	20.0	0.0	100.0	0.0	0.0	0.0
	男		66.7	33.3	0.0	0.0	100.0	0.0	0.0	0.0
	女		50.0	0.0	50.0	0.0	100.0	0.0	0.0	0.0
北播磨			42.1	10.5	0.0	47.4	66.7	0.0	0.0	33.3
	男		46.2	7.7	0.0	46.2	100.0	0.0	0.0	0.0
	女		33.3	16.7	0.0	50.0	0.0	0.0	0.0	100.0
中播磨			0.0	0.0	0.0	100.0	0.0	0.0	0.0	100.0
	男		0.0	0.0	0.0	100.0	0.0	0.0	0.0	100.0
	女		0.0	0.0	0.0	100.0	0.0	0.0	0.0	100.0
西播磨			37.5	12.5	0.0	50.0	-	-	-	-
	男		75.0	0.0	0.0	25.0	-	-	-	-
	女		0.0	25.0	0.0	75.0	-	-	-	-
但  馬			50.0	0.0	25.0	25.0	100.0	0.0	0.0	0.0
	男		0.0	0.0	100.0	0.0	-	-	-	-
	女		66.7	0.0	0.0	33.3	100.0	0.0	0.0	0.0
丹  波			-	-	-	-	-	-	-	-
	男		-	-	-	-	-	-	-	-
	女		-	-	-	-	-	-	-	-
淡  路			0.0	36.2	0.0	63.8	66.7	0.0	0.0	33.3
	男		0.0	22.7	0.0	77.3	50.0	0.0	0.0	50.0
	女		0.0	48.0	0.0	52.0	100.0	0.0	0.0	0.0

		95歳以上 (%)			
		両方	片方	噛めない	不明
全 県	男	50.0	0.0	0.0	50.0
	女	100.0	0.0	0.0	0.0
神 戸	男	-	-	-	-
	女	-	-	-	-
阪神南	男	-	-	-	-
	女	-	-	-	-
阪神北	男	-	-	-	-
	女	-	-	-	-
東播磨	男	-	-	-	-
	女	-	-	-	-
北播磨	男	100.0	0.0	0.0	0.0
	女	100.0	0.0	0.0	0.0
中播磨	男	0.0	0.0	0.0	100.0
	女	0.0	0.0	0.0	100.0
西播磨	男	-	-	-	-
	女	-	-	-	-
但 馬	男	-	-	-	-
	女	-	-	-	-
丹 波	男	-	-	-	-
	女	-	-	-	-
淡 路	男	-	-	-	-
	女	-	-	-	-



6 歯肉出血(BOP)

		全県 (%)				
		0	1	9	不明	×
全 体		19.0	19.3	0.3	59.5	1.9
	男	19.0	20.1	0.6	57.9	2.4
	女	19.1	18.6	0.0	60.7	1.5
75歳 ～79歳		16.5	17.0	0.3	65.4	0.8
	男	16.7	18.0	0.7	63.3	1.3
	女	16.3	16.2	0.0	67.1	0.4
80歳 ～84歳		24.5	24.2	0.3	47.9	3.1
	男	23.2	25.5	0.6	47.5	3.3
	女	25.5	23.2	0.0	48.3	3.0
85歳 ～89歳		29.8	28.2	0.0	27.4	14.5
	男	34.4	21.9	0.0	28.1	15.6
	女	25.0	35.0	0.0	26.7	13.3
90歳 ～94歳		14.3	28.6	0.0	50.0	7.1
	男	14.3	28.6	0.0	42.9	14.3
	女	14.3	28.6	0.0	57.1	0.0
95歳以上		20.0	0.0	0.0	20.0	60.0
	男	0.0	0.0	0.0	0.0	100.0
	女	25.0	0.0	0.0	25.0	50.0



(参考)BOP

- 0:健全な状態
- 1:ブローピング後の出血
- 9:除外歯
- X:該当する歯なし

		75～79歳 (%)					80～84歳 (%)				
		0	1	9	不明	×	0	1	9	不明	×
全 県		16.5	17.0	0.3	65.4	0.8	24.5	24.2	0.3	47.9	3.1
	男	16.7	18.0	0.7	63.3	1.3	23.2	25.5	0.6	47.5	3.3
	女	16.3	16.2	0.0	67.1	0.4	25.5	23.2	0.0	48.3	3.0
神 戸		0.0	0.0	0.0	100.0	0.0	-	-	-	-	-
	男	0.0	0.0	0.0	100.0	0.0	-	-	-	-	-
	女	0.0	0.0	0.0	100.0	0.0	-	-	-	-	-
阪神南		8.9	26.0	0.0	65.1	0.0	9.3	22.8	0.0	67.9	0.0
	男	7.7	27.4	0.0	64.9	0.0	5.2	23.6	0.0	71.3	0.0
	女	9.8	24.9	0.0	65.3	0.0	11.7	22.4	0.0	65.9	0.0
阪神北		32.5	49.1	0.0	15.8	2.6	33.7	43.0	0.0	19.8	3.5
	男	34.0	45.3	0.0	17.0	3.8	32.6	46.5	0.0	16.3	4.7
	女	31.1	52.5	0.0	14.8	1.6	34.9	39.5	0.0	23.3	2.3
東播磨		36.7	12.5	1.8	48.1	0.9	30.0	6.8	0.8	60.1	2.3
	男	33.8	11.9	3.7	48.9	1.8	30.2	6.2	1.6	59.7	2.3
	女	39.4	13.1	0.0	47.5	0.0	29.9	7.5	0.0	60.4	2.2
北播磨		48.3	47.0	0.0	4.0	0.7	52.4	39.3	0.0	0.0	8.3
	男	51.9	43.0	0.0	3.8	1.3	45.7	47.8	0.0	0.0	6.5
	女	44.4	51.4	0.0	4.2	0.0	60.5	28.9	0.0	0.0	10.5
中播磨		10.4	28.4	0.0	61.2	0.0	0.0	11.4	0.0	88.6	0.0
	男	10.0	33.3	0.0	56.7	0.0	0.0	10.0	0.0	90.0	0.0
	女	10.8	24.3	0.0	64.9	0.0	0.0	13.3	0.0	86.7	0.0
西播磨		41.9	22.9	1.0	31.4	2.9	48.5	27.9	1.5	20.6	1.5
	男	37.5	23.4	1.6	34.4	3.1	50.0	26.9	3.8	19.2	0.0
	女	48.8	22.0	0.0	26.8	2.4	47.6	28.6	0.0	21.4	2.4
但 馬		28.6	66.2	0.0	1.3	3.9	26.9	50.0	0.0	0.0	23.1
	男	30.8	64.1	0.0	0.0	5.1	18.2	54.5	0.0	0.0	27.3
	女	26.3	68.4	0.0	2.6	2.6	33.3	46.7	0.0	0.0	20.0
丹 波		-	-	-	-	-	-	-	-	-	-
	男	-	-	-	-	-	-	-	-	-	-
	女	-	-	-	-	-	-	-	-	-	-
淡 路		51.3	40.4	0.0	1.9	6.4	42.9	42.9	0.0	2.0	12.2
	男	41.1	47.9	0.0	2.7	8.2	38.1	45.2	0.0	4.8	11.9
	女	60.2	33.7	0.0	1.2	4.8	46.4	41.1	0.0	0.0	12.5

		85～89歳 (%)					90～94歳 (%)				
		0	1	9	不明	×	0	1	9	不明	×
全 県		29.8	28.2	0.0	27.4	14.5	14.3	28.6	0.0	50.0	7.1
	男女	34.4	21.9	0.0	28.1	15.6	14.3	28.6	0.0	42.9	14.3
神 戸		25.0	35.0	0.0	26.7	13.3	14.3	28.6	0.0	57.1	0.0
	男女	-	-	-	-	-	-	-	-	-	-
阪神南		0.0	18.8	0.0	81.3	0.0	0.0	0.0	0.0	100.0	0.0
	男女	0.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	100.0	0.0
阪神北		0.0	14.3	0.0	85.7	0.0	0.0	0.0	0.0	100.0	0.0
	男女	0.0	25.0	0.0	75.0	0.0	0.0	0.0	0.0	100.0	0.0
東播磨		0.0	20.0	0.0	80.0	0.0	0.0	0.0	0.0	100.0	0.0
	男女	0.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	100.0	0.0
北播磨		-	-	-	-	-	-	-	-	-	-
	男女	-	-	-	-	-	-	-	-	-	-
中播磨		52.6	26.3	0.0	0.0	21.1	33.3	66.7	0.0	0.0	0.0
	男女	53.8	30.8	0.0	0.0	15.4	50.0	50.0	0.0	0.0	0.0
西播磨		11.1	0.0	0.0	77.8	11.1	0.0	0.0	0.0	100.0	0.0
	男女	16.7	0.0	0.0	83.3	0.0	0.0	0.0	0.0	100.0	0.0
但 馬		27.8	27.8	0.0	38.9	5.6	-	-	-	-	-
	男女	20.0	30.0	0.0	40.0	10.0	-	-	-	-	-
丹 波		37.5	25.0	0.0	37.5	0.0	-	-	-	-	-
	男女	75.0	25.0	0.0	0.0	0.0	0.0	100.0	0.0	0.0	0.0
淡 路		50.0	25.0	0.0	0.0	25.0	0.0	100.0	0.0	0.0	0.0
	男女	75.0	25.0	0.0	0.0	0.0	0.0	100.0	0.0	0.0	0.0
全 県		36.2	40.4	0.0	2.1	21.3	33.3	33.3	0.0	0.0	33.3
	男女	40.9	22.7	0.0	4.5	31.8	0.0	50.0	0.0	0.0	50.0

		95歳以上 (%)				
		0	1	9	不明	×
全 県		20.0	0.0	0.0	20.0	60.0
	男女	0.0	0.0	0.0	0.0	100.0
神 戸		25.0	0.0	0.0	25.0	50.0
	男女	-	-	-	-	-
阪神南		-	-	-	-	-
	男女	-	-	-	-	-
阪神北		-	-	-	-	-
	男女	-	-	-	-	-
東播磨		-	-	-	-	-
	男女	-	-	-	-	-
北播磨		0.0	0.0	0.0	0.0	100.0
	男女	0.0	0.0	0.0	0.0	100.0
中播磨		0.0	0.0	0.0	100.0	0.0
	男女	0.0	0.0	0.0	100.0	0.0
西播磨		100.0	0.0	0.0	0.0	0.0
	男女	100.0	0.0	0.0	0.0	0.0
但 馬		0.0	0.0	0.0	0.0	100.0
	男女	0.0	0.0	0.0	0.0	100.0
丹 波		-	-	-	-	-
	男女	-	-	-	-	-
淡 路		-	-	-	-	-
	男女	-	-	-	-	-




### 7 歯周ポケット(PD)

		全県 (%)						
		0	1	2	9	不明	x	
全	体	8.6	23.4	13.8	0.2	52.1	1.9	
	男	9.2	23.1	15.4	0.2	49.8	2.4	
	女	8.0	23.7	12.6	0.3	54.0	1.5	
年	75歳	~79歳	7.1	19.7	11.9	0.1	60.3	0.9
		男	8.2	19.2	13.5	0.1	57.7	1.3
	女	6.1	20.1	10.6	0.1	62.5	0.6	
	80歳	~84歳	10.6	33.8	18.5	0.6	33.6	2.8
男		9.8	34.6	20.6	0.4	31.4	3.3	
	女	11.2	33.2	17.0	0.8	35.4	2.5	
齢	85歳	~89歳	24.2	17.7	16.1	0.0	27.4	14.5
		男	26.6	15.6	14.1	0.0	28.1	15.6
	女	21.7	20.0	18.3	0.0	26.7	13.3	
	90歳	~94歳	14.3	21.4	7.1	0.0	50.0	7.1
男		14.3	14.3	14.3	0.0	42.9	14.3	
	女	14.3	28.6	0.0	0.0	57.1	0.0	
別	95歳以上	男	20.0	0.0	20.0	0.0	20.0	40.0
		女	0.0	0.0	0.0	0.0	0.0	100.0
	男	25.0	0.0	25.0	0.0	25.0	25.0	

### (参考)PD

- 0:健全な状態
- 1:歯周ポケット(4mm以上6mm未満)
- 2:歯周ポケット(6mm以上)
- 9:除外歯
- X:該当する歯なし



【75～79歳】

		PD (%)					
		0	1	2	9	不明	×
全 県		7.1	19.7	11.9	0.1	60.3	0.9
	男女	8.2	19.2	13.5	0.1	57.7	1.3
神 戸		0.0	0.0	0.0	0.0	100.0	0.0
	男女	0.0	0.0	0.0	0.0	100.0	0.0
阪神南		0.5	33.8	12.8	0.0	52.9	0.0
	男女	0.8	32.4	13.9	0.0	52.9	0.0
阪神北		28.1	39.5	13.2	0.0	15.8	3.5
	男女	34.0	35.8	9.4	0.0	17.0	3.8
東播磨		3.1	36.7	27.5	0.0	31.9	0.9
	男女	2.3	33.8	33.3	0.0	28.8	1.8
北播磨		34.4	33.8	27.2	0.0	4.0	0.7
	男女	35.4	32.9	26.6	0.0	3.8	1.3
中播磨		4.5	10.4	22.4	0.0	61.2	1.5
	男女	10.0	16.7	16.7	0.0	56.7	0.0
西播磨		24.8	25.7	13.3	1.9	31.4	2.9
	男女	25.0	23.4	12.5	1.6	34.4	3.1
但 馬		13.0	35.1	46.8	0.0	1.3	3.9
	男女	15.4	30.8	48.7	0.0	0.0	5.1
丹 波		-	-	-	-	-	-
	男女	-	-	-	-	-	-
淡 路		43.6	31.4	16.7	0.0	1.9	6.4
	男女	42.5	28.8	17.8	0.0	2.7	8.2
		44.6	33.7	15.7	0.0	1.2	4.8

【80～84歳】

		PD (%)					
		0	1	2	9	不明	×
全 県		10.6	33.8	18.5	0.6	33.6	2.8
	男女	9.8	34.6	20.6	0.4	31.4	3.3
神 戸		-	-	-	-	-	-
	男女	-	-	-	-	-	-
阪神南		0.4	39.5	11.8	0.0	48.2	0.0
	男女	0.0	40.2	12.6	0.0	47.1	0.0
阪神北		31.4	32.6	12.8	0.0	19.8	3.5
	男女	30.2	32.6	16.3	0.0	16.3	4.7
東播磨		2.7	31.6	28.9	0.0	34.6	2.3
	男女	3.1	34.9	27.9	0.0	31.8	2.3
北播磨		27.4	34.5	27.4	6.0	0.0	4.8
	男女	19.6	41.3	30.4	2.2	0.0	6.5
中播磨		0.0	5.7	5.7	0.0	88.6	0.0
	男女	0.0	10.0	0.0	0.0	90.0	0.0
西播磨		32.4	27.9	17.6	1.5	19.1	1.5
	男女	23.1	30.8	26.9	0.0	19.2	0.0
但 馬		7.7	38.5	30.8	0.0	0.0	23.1
	男女	9.1	18.2	45.5	0.0	0.0	27.3
丹 波		-	-	-	-	-	-
	男女	-	-	-	-	-	-
淡 路		37.8	25.5	22.4	1.0	1.0	12.2
	男女	35.7	23.8	23.8	2.4	2.4	11.9
		39.3	26.8	21.4	0.0	0.0	12.5

【85～89歳】



		PD (%)					
		0	1	2	9	不明	×
全 県		24.2	17.7	16.1	0.0	27.4	14.5
	男女	26.6 21.7	15.6 20.0	14.1 18.3	0.0 0.0	28.1 26.7	15.6 13.3
圏 域 別	神 戸	-	-	-	-	-	-
	男女	-	-	-	-	-	-
	阪神南	0.0	0.0	18.8	0.0	81.3	0.0
	男女	0.0 0.0	0.0 0.0	0.0 25.0	0.0 0.0	100.0 75.0	0.0 0.0
	阪神北	14.3	0.0	0.0	0.0	85.7	0.0
	男女	20.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	80.0 100.0	0.0 0.0
	東播磨	-	-	-	-	-	-
	男女	-	-	-	-	-	-
	北播磨	15.8	42.1	21.1	0.0	0.0	21.1
	男女	23.1 0.0	38.5 50.0	23.1 16.7	0.0 0.0	0.0 0.0	15.4 33.3
	中播磨	11.1	0.0	0.0	0.0	77.8	11.1
	男女	16.7 0.0	0.0 0.0	0.0 0.0	0.0 0.0	83.3 66.7	0.0 33.3
	西播磨	27.8	11.1	22.2	0.0	38.9	0.0
	男女	30.0 25.0	10.0 12.5	20.0 25.0	0.0 0.0	40.0 37.5	0.0 0.0
	但 馬	37.5	0.0	25.0	0.0	0.0	37.5
	男女	50.0 25.0	0.0 0.0	25.0 25.0	0.0 0.0	0.0 0.0	25.0 50.0
	丹 波	-	-	-	-	-	-
	男女	-	-	-	-	-	-
淡 路	36.2	25.5	14.9	0.0	2.1	21.3	
男女	31.8 40.0	18.2 32.0	13.6 16.0	0.0 0.0	4.5 0.0	31.8 12.0	

【90～94歳】

		PD (%)					
		0	1	2	9	不明	×
全 県		14.3	21.4	7.1	0.0	50.0	7.1
	男女	14.3 14.3	14.3 28.6	14.3 0.0	0.0 0.0	42.9 57.1	14.3 0.0
圏 域 別	神 戸	-	-	-	-	-	-
	男女	-	-	-	-	-	-
	阪神南	0.0	0.0	0.0	0.0	100.0	0.0
	男女	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	100.0 100.0	0.0 0.0
	阪神北	0.0	0.0	0.0	0.0	100.0	0.0
	男女	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	100.0 100.0	0.0 0.0
	東播磨	-	-	-	-	-	-
	男女	-	-	-	-	-	-
	北播磨	66.7	0.0	33.3	0.0	0.0	0.0
	男女	50.0 100.0	0.0 0.0	50.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0
	中播磨	0.0	0.0	0.0	0.0	100.0	0.0
	男女	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	100.0 100.0	0.0 0.0
	西播磨	-	-	-	-	-	-
	男女	-	-	-	-	-	-
	但 馬	0.0	100.0	0.0	0.0	0.0	0.0
	男女	0.0 0.0	100.0 100.0	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0
	丹 波	-	-	-	-	-	-
	男女	-	-	-	-	-	-
淡 路	0.0	66.7	0.0	0.0	0.0	33.3	
男女	0.0 0.0	50.0 100.0	0.0 0.0	0.0 0.0	0.0 0.0	50.0 0.0	

【95歳以上】

		PD (%)						
		0	1	2	9	不明	×	
全 県		20.0	0.0	20.0	0.0	20.0	40.0	
	男	0.0	0.0	0.0	0.0	0.0	100.0	
	女	25.0	0.0	25.0	0.0	25.0	25.0	
圏 域 別	神 戸		-	-	-	-	-	-
		男	-	-	-	-	-	-
		女	-	-	-	-	-	-
	阪神南		-	-	-	-	-	-
		男	-	-	-	-	-	-
		女	-	-	-	-	-	-
	阪神北		-	-	-	-	-	-
		男	-	-	-	-	-	-
		女	-	-	-	-	-	-
	東播磨		-	-	-	-	-	-
		男	-	-	-	-	-	-
		女	-	-	-	-	-	-
北播磨		0.0	0.0	0.0	0.0	0.0	100.0	
	男	0.0	0.0	0.0	0.0	0.0	100.0	
	女	-	-	-	-	-	-	
中播磨		0.0	0.0	0.0	0.0	100.0	0.0	
	男	-	-	-	-	-	-	
	女	0.0	0.0	0.0	0.0	100.0	0.0	
西播磨		100.0	0.0	0.0	0.0	0.0	0.0	
	男	-	-	-	-	-	-	
	女	100.0	0.0	0.0	0.0	0.0	0.0	
但 馬		0.0	0.0	50.0	0.0	0.0	50.0	
	男	-	-	-	-	-	-	
	女	0.0	0.0	50.0	0.0	0.0	50.0	
丹 波		-	-	-	-	-	-	
	男	-	-	-	-	-	-	
	女	-	-	-	-	-	-	
淡 路		-	-	-	-	-	-	
	男	-	-	-	-	-	-	
	女	-	-	-	-	-	-	



8 咀嚼能力評価



		全 県 (%)			
		良好	要注意	不明	
全 体		63.9	19.0	17.1	
	男	62.4	19.5	18.1	
	女	65.2	18.6	16.2	
年 齢	75歳	68.6	18.1	13.3	
	~79歳	66.9	18.6	14.5	
		男	70.0	17.8	12.3
		女	55.5	22.5	22.0
	80歳	55.1	22.8	22.1	
	~84歳	55.8	22.2	22.0	
別	85歳	21.6	10.3	68.0	
	~89歳	22.2	13.0	64.8	
		男	20.9	7.0	72.1
		女	28.6	14.3	57.1
90歳	42.9	14.3	42.9		
~94歳	14.3	14.3	71.4		
95歳以上		66.7	0.0	33.3	
	男	0.0	0.0	100.0	
	女	100.0	0.0	0.0	

※判定に用いた評価の基準

	評価方法			
	問診	摂食可能食品	その他	未実施
市町数	16	0	2	23

		75~79歳 (%)			80~84歳 (%)			85~89歳 (%)			
		良好	要注意	不明	良好	要注意	不明	良好	要注意	不明	
全 体		68.6	18.1	13.3	55.5	22.5	22.0	21.6	10.3	68.0	
	男	66.9	18.6	14.5	55.1	22.8	22.1	22.2	13.0	64.8	
	女	70.0	17.8	12.3	55.8	22.2	22.0	20.9	7.0	72.1	
圏 域 別	神 戸		89.9	10.1	0.1	-	-	-	-	-	-
		男	89.5	10.3	0.2	-	-	-	-	-	-
		女	90.1	9.9	0.0	-	-	-	-	-	-
	阪神南		77.9	6.2	15.8	81.4	4.4	14.2	43.8	6.3	50.0
		男	76.5	6.5	17.1	81.1	3.8	15.1	25.0	25.0	50.0
		女	78.9	6.1	15.0	81.6	4.7	13.7	50.0	0.0	50.0
	阪神北		50.9	14.9	34.2	43.0	16.3	40.7	14.3	0.0	85.7
		男	54.7	17.0	28.3	46.5	11.6	41.9	20.0	0.0	80.0
		女	47.5	13.1	39.3	39.5	20.9	39.5	0.0	0.0	100.0
	東播磨		44.5	54.3	1.2	48.1	50.2	1.7	60.0	40.0	0.0
		男	45.6	54.4	0.0	47.2	52.1	0.7	66.7	33.3	0.0
		女	43.4	54.3	2.2	49.0	48.3	2.6	50.0	50.0	0.0
	北播磨		18.5	13.9	67.5	32.1	14.3	53.6	10.5	5.3	84.2
		男	13.9	12.7	73.4	34.8	10.9	54.3	15.4	7.7	76.9
		女	23.6	15.3	61.1	28.9	18.4	52.6	0.0	0.0	100.0
	中播磨		82.3	9.7	8.1	85.7	14.3	0.0	44.4	33.3	22.2
		男	82.1	7.1	10.7	95.0	5.0	0.0	50.0	33.3	16.7
		女	82.4	11.8	5.9	73.3	26.7	0.0	33.3	33.3	33.3
	西播磨		76.6	8.5	14.9	56.4	12.8	30.8	57.1	42.9	0.0
		男	80.8	7.7	11.5	57.1	14.3	28.6	60.0	40.0	0.0
		女	71.4	9.5	19.0	56.0	12.0	32.0	50.0	50.0	0.0
	但 馬		42.6	0.0	57.4	0.0	0.0	100.0	0.0	0.0	100.0
		男	36.7	0.0	63.3	0.0	0.0	100.0	0.0	0.0	100.0
		女	50.0	0.0	50.0	0.0	0.0	100.0	0.0	0.0	100.0
丹 波		66.2	28.4	5.4	63.5	33.3	3.2	-	-	-	
	男	77.8	18.5	3.7	74.1	22.2	3.7	-	-	-	
	女	59.6	34.0	6.4	55.6	41.7	2.8	-	-	-	
淡 路		0.0	0.0	100.0	0.0	0.0	100.0	0.0	0.0	100.0	
	男	0.0	0.0	100.0	0.0	0.0	100.0	0.0	0.0	100.0	
	女	0.0	0.0	100.0	0.0	0.0	100.0	0.0	0.0	100.0	

		90～94歳 (%)			95歳以上 (%)			
		良好	要注意	不明	良好	要注意	不明	
全 体		<b>28.6</b>	<b>14.3</b>	<b>57.1</b>	<b>66.7</b>	<b>0.0</b>	<b>33.3</b>	
	男	42.9	14.3	42.9	0.0	0.0	100.0	
	女	14.3	14.3	71.4	100.0	0.0	0.0	
圏 域 別	神 戸		-	-	-	-	-	-
		男	-	-	-	-	-	-
		-	-	-	-	-	-	
		-	-	-	-	-	-	
	阪神南		<b>50.0</b>	<b>0.0</b>	<b>50.0</b>	-	-	-
		男	100.0	0.0	0.0	-	-	-
		0.0	0.0	100.0	-	-	-	
	阪神北		<b>0.0</b>	<b>0.0</b>	<b>100.0</b>	-	-	-
		男	0.0	0.0	100.0	-	-	-
		0.0	0.0	100.0	-	-	-	
	東播磨		<b>0.0</b>	<b>50.0</b>	<b>50.0</b>	-	-	-
		男	0.0	100.0	0.0	-	-	-
		女	0.0	0.0	100.0	-	-	-
	北播磨		<b>33.3</b>	<b>0.0</b>	<b>66.7</b>	<b>0.0</b>	<b>0.0</b>	<b>100.0</b>
		男	50.0	0.0	50.0	0.0	0.0	100.0
		女	0.0	0.0	100.0	-	-	-
	中播磨		<b>66.7</b>	<b>33.3</b>	<b>0.0</b>	<b>100.0</b>	<b>0.0</b>	<b>0.0</b>
		男	100.0	0.0	0.0	-	-	-
	女	50.0	50.0	0.0	100.0	0.0	0.0	
西播磨		-	-	-	<b>100.0</b>	<b>0.0</b>	<b>0.0</b>	
	男	-	-	-	-	-	-	
	女	-	-	-	100.0	0.0	0.0	
但 馬		<b>0.0</b>	<b>0.0</b>	<b>100.0</b>	-	-	-	
	男	-	-	-	-	-	-	
	女	0.0	0.0	100.0	-	-	-	
丹 波		-	-	-	-	-	-	
	男	-	-	-	-	-	-	
	女	-	-	-	-	-	-	
淡 路		<b>0.0</b>	<b>0.0</b>	<b>100.0</b>	-	-	-	
	男	0.0	0.0	100.0	-	-	-	
	女	-	-	-	-	-	-	



9 舌機能評価



		全 県 (%)		
		良好	要注意	不明
全 体		57.5	1.3	41.2
	男	53.5	1.4	45.0
	女	60.7	1.2	38.1
年	75歳	65.4	1.0	33.7
	~79歳	61.9	0.9	37.2
	男	68.1	1.0	30.8
	女	37.7	1.5	60.8
80歳	~84歳	32.5	2.1	65.4
	男	41.7	1.0	57.2
	女	21.3	9.0	69.7
	85歳	18.8	10.4	70.8
~89歳	男	24.4	7.3	68.3
	女	36.4	9.1	54.5
90歳	~94歳	40.0	0.0	60.0
	男	33.3	16.7	50.0
別	95歳以上	66.7	0.0	33.3
	男	0.0	0.0	100.0
	女	100.0	0.0	0.0

※判定に用いた評価の基準

	評価方法			
	舌圧測定器	オーラル ディアド コネシ ス	その他	未実施
市町数	0	3	4	34

		75~79歳 (%)			80~84歳 (%)			85~89歳 (%)		
		良好	要注意	不明	良好	要注意	不明	良好	要注意	不明
全 体		65.4	1.0	33.7	37.7	1.5	60.8	21.3	9.0	69.7
	男	61.9	0.9	37.2	32.5	2.1	65.4	18.8	10.4	70.8
	女	68.1	1.0	30.8	41.7	1.0	57.2	24.4	7.3	68.3
神 戸	男	99.3	0.6	0.1	-	-	-	-	-	-
	女	99.0	0.8	0.2	-	-	-	-	-	-
阪神南	男	99.6	0.4	0.0	-	-	-	-	-	-
	女	95.0	1.8	3.2	93.6	1.4	5.1	62.5	18.8	18.8
阪神北	男	94.9	0.6	4.6	92.7	1.8	5.5	75.0	25.0	0.0
	女	95.1	2.6	2.2	94.1	1.1	4.8	58.3	16.7	25.0
東播磨	男	0.0	0.0	100.0	0.0	0.0	100.0	0.0	0.0	100.0
	女	0.0	0.0	100.0	0.0	0.0	100.0	0.0	0.0	100.0
北播磨	男	0.0	0.0	100.0	0.0	0.0	100.0	0.0	0.0	100.0
	女	0.0	0.0	100.0	0.0	0.0	100.0	0.0	0.0	100.0
中播磨	男	0.0	0.0	100.0	0.0	0.0	100.0	0.0	0.0	100.0
	女	0.0	0.0	100.0	0.0	0.0	100.0	0.0	0.0	100.0
西播磨	男	50.0	16.1	33.9	62.9	25.7	11.4	22.2	55.6	22.2
	女	42.9	17.9	39.3	60.0	30.0	10.0	16.7	66.7	16.7
但 馬	男	55.9	14.7	29.4	66.7	20.0	13.3	33.3	33.3	33.3
	女	85.1	0.0	14.9	69.2	0.0	30.8	100.0	0.0	0.0
丹 波	男	88.5	0.0	11.5	71.4	0.0	28.6	100.0	0.0	0.0
	女	81.0	0.0	19.0	68.0	0.0	32.0	100.0	0.0	0.0
淡 路	男	40.7	0.0	59.3	0.0	0.0	100.0	0.0	0.0	100.0
	女	36.7	0.0	63.3	0.0	0.0	100.0	0.0	0.0	100.0
	男	45.8	0.0	54.2	0.0	0.0	100.0	0.0	0.0	100.0
	女	-	-	-	-	-	-	-	-	-
	男	-	-	-	-	-	-	-	-	-
	女	-	-	-	-	-	-	-	-	-
淡 路	男	0.0	0.0	100.0	0.0	0.0	100.0	0.0	0.0	100.0
	女	0.0	0.0	100.0	0.0	0.0	100.0	0.0	0.0	100.0
	男	0.0	0.0	100.0	0.0	0.0	100.0	0.0	0.0	100.0
	女	0.0	0.0	100.0	0.0	0.0	100.0	0.0	0.0	100.0

		90～94歳 (%)			95歳以上 (%)		
		良好	要注意	不明	良好	要注意	不明
全 体		36.4	9.1	54.5	66.7	0.0	33.3
	男	40.0	0.0	60.0	0.0	0.0	100.0
	女	33.3	16.7	50.0	100.0	0.0	0.0
圏 域 別	神 戸	-	-	-	-	-	-
		-	-	-	-	-	-
	阪神南	100.0	0.0	0.0	-	-	-
		100.0	0.0	0.0	-	-	-
	阪神北	0.0	0.0	100.0	-	-	-
		0.0	0.0	100.0	-	-	-
	東播磨	-	-	-	-	-	-
		-	-	-	-	-	-
	北播磨	0.0	0.0	100.0	0.0	0.0	100.0
		0.0	0.0	100.0	0.0	0.0	100.0
	中播磨	66.7	33.3	0.0	100.0	0.0	0.0
		100.0	0.0	0.0	-	-	-
西播磨	-	-	-	100.0	0.0	0.0	
	-	-	-	100.0	0.0	0.0	
但 馬	0.0	0.0	100.0	-	-	-	
	0.0	0.0	100.0	-	-	-	
丹 波	-	-	-	-	-	-	
	-	-	-	-	-	-	
淡 路	0.0	0.0	100.0	-	-	-	
	0.0	0.0	100.0	-	-	-	



10 嚥下機能評価

※判定に用いた評価の基準



		全 県 (%)		
		良好	要注意	不明
全 体		69.9	15.6	14.5
	男	67.2	17.1	15.7
	女	72.2	14.3	13.5
年 齢	75歳	74.7	14.4	10.9
	~79歳			
	男	72.2	15.9	11.9
	女	76.7	13.1	10.2
	80歳	60.7	20.3	19.1
	~84歳			
男	57.1	22.7	20.2	
女	63.4	18.4	18.2	
85歳	~89歳	30.9	4.3	64.9
	男	31.4	3.9	64.7
	女	30.2	4.7	65.1
	90歳	38.5	7.7	53.8
~94歳				
男	50.0	0.0	50.0	
女	28.6	14.3	57.1	
別	95歳以上	66.7	0.0	33.3
	男	0.0	0.0	100.0
	女	100.0	0.0	0.0

	評価方法				
	問診	EAT-10	反復唾液嚥下テスト	改定水飲みテスト	頸部触診法
市町数	12	0	4	0	0

	評価方法	
	その他	未実施
市町数	1	24

		75~79歳 (%)			80~84歳 (%)			85~89歳 (%)		
		良好	要注意	不明	良好	要注意	不明	良好	要注意	不明
全 体		74.7	14.4	10.9	60.7	20.3	19.1	30.9	4.3	64.9
	男	72.2	15.9	11.9	57.1	22.7	20.2	31.4	3.9	64.7
	女	76.7	13.1	10.2	63.4	18.4	18.2	30.2	4.7	65.1
神 戸		96.1	3.7	0.2	-	-	-	-	-	-
	男	95.5	4.5	0.0	-	-	-	-	-	-
	女	96.5	3.2	0.3	-	-	-	-	-	-
阪神南		93.7	2.6	3.7	92.4	2.4	5.2	75.0	6.3	18.8
	男	93.1	2.3	4.6	92.2	1.9	5.8	100.0	0.0	0.0
	女	94.1	2.7	3.1	92.5	2.7	4.8	66.7	8.3	25.0
阪神北		50.0	16.7	33.3	43.0	16.3	40.7	14.3	0.0	85.7
	男	52.8	18.9	28.3	48.8	9.3	41.9	20.0	0.0	80.0
	女	47.5	14.8	37.7	37.2	23.3	39.5	0.0	0.0	100.0
東播磨		42.6	55.9	1.5	48.8	50.5	0.7	80.0	20.0	0.0
	男	40.5	58.7	0.8	45.8	53.5	0.7	66.7	33.3	0.0
	女	44.6	53.2	2.2	51.7	47.7	0.7	100.0	0.0	0.0
北播磨		20.9	2.2	76.9	38.9	1.4	59.7	0.0	0.0	100.0
	男	16.9	1.4	81.7	26.5	2.9	70.6	0.0	0.0	100.0
	女	25.4	3.2	71.4	50.0	0.0	50.0	0.0	0.0	100.0
中播磨		93.5	1.6	4.8	85.7	14.3	0.0	66.7	11.1	22.2
	男	92.9	3.6	3.6	85.0	15.0	0.0	83.3	0.0	16.7
	女	94.1	0.0	5.9	86.7	13.3	0.0	33.3	33.3	33.3
西播磨		83.0	2.1	14.9	64.1	5.1	30.8	85.7	14.3	0.0
	男	88.5	0.0	11.5	64.3	7.1	28.6	80.0	20.0	0.0
	女	76.2	4.8	19.0	64.0	4.0	32.0	100.0	0.0	0.0
但 馬		66.7	3.7	29.6	0.0	0.0	100.0	0.0	0.0	100.0
	男	63.3	6.7	30.0	0.0	0.0	100.0	0.0	0.0	100.0
	女	70.8	0.0	29.2	0.0	0.0	100.0	0.0	0.0	100.0
丹 波		64.9	29.7	5.4	73.0	23.8	3.2	-	-	-
	男	74.1	22.2	3.7	74.1	22.2	3.7	-	-	-
	女	59.6	34.0	6.4	72.2	25.0	2.8	-	-	-
淡 路		0.0	0.0	100.0	0.0	0.0	100.0	0.0	0.0	100.0
	男	0.0	0.0	100.0	0.0	0.0	100.0	0.0	0.0	100.0
	女	0.0	0.0	100.0	0.0	0.0	100.0	0.0	0.0	100.0

		90～94歳 (%)			95歳以上 (%)			
		良好	要注意	不明	良好	要注意	不明	
全 体		38.5	7.7	53.8	66.7	0.0	33.3	
	男	50.0	0.0	50.0	0.0	0.0	100.0	
	女	28.6	14.3	57.1	100.0	0.0	0.0	
圏 域 別	神 戸		-	-	-	-	-	-
		男	-	-	-	-	-	-
		-	-	-	-	-	-	
	女	-	-	-	-	-	-	
	阪神南		100.0	0.0	0.0	-	-	-
		男	100.0	0.0	0.0	-	-	-
		100.0	0.0	0.0	-	-	-	
	女	100.0	0.0	0.0	-	-	-	
	阪神北		0.0	0.0	100.0	-	-	-
		男	0.0	0.0	100.0	-	-	-
		0.0	0.0	100.0	-	-	-	
	女	0.0	0.0	100.0	-	-	-	
	東播磨		50.0	0.0	50.0	-	-	-
		男	100.0	0.0	0.0	-	-	-
		0.0	0.0	100.0	-	-	-	
	女	0.0	0.0	100.0	-	-	-	
	北播磨		0.0	0.0	100.0	0.0	0.0	100.0
		男	0.0	0.0	100.0	0.0	0.0	100.0
	0.0	0.0	100.0	-	-	-		
女	0.0	0.0	100.0	-	-	-		
中播磨		66.7	33.3	0.0	100.0	0.0	0.0	
	男	100.0	0.0	0.0	-	-	-	
	50.0	50.0	0.0	100.0	0.0	0.0		
女	50.0	50.0	0.0	100.0	0.0	0.0		
西播磨		-	-	-	100.0	0.0	0.0	
	男	-	-	-	-	-	-	
	-	-	-	100.0	0.0	0.0		
女	-	-	-	100.0	0.0	0.0		
但 馬		0.0	0.0	100.0	-	-	-	
	男	-	-	-	-	-	-	
	0.0	0.0	100.0	-	-	-		
女	0.0	0.0	100.0	-	-	-		
丹 波		-	-	-	-	-	-	
	男	-	-	-	-	-	-	
	-	-	-	-	-	-		
女	-	-	-	-	-	-		
淡 路		0.0	0.0	100.0	-	-	-	
	男	0.0	0.0	100.0	-	-	-	
	-	-	-	-	-	-		
女	-	-	-	-	-	-		



11 口腔清掃状態

		全 県 (%)			
		良好	普通	不良	不明
全 体		<b>31.5</b>	<b>49.8</b>	<b>12.8</b>	<b>5.9</b>
	男	28.2	50.1	15.3	6.4
	女	34.1	49.6	10.8	5.5
年 齢	75歳	<b>33.2</b>	<b>51.0</b>	<b>11.9</b>	<b>3.9</b>
	~79歳	28.5	53.1	14.2	4.2
	男	37.0	49.3	10.1	3.6
	女	27.7	<b>49.8</b>	<b>13.6</b>	<b>8.9</b>
	80歳	27.8	46.4	16.1	9.6
	~84歳	27.6	52.4	11.7	8.4
	男	<b>25.4</b>	<b>24.6</b>	<b>25.4</b>	<b>24.6</b>
	女	24.2	21.0	29.0	25.8
	85歳	26.8	28.6	21.4	23.2
	~89歳	<b>31.3</b>	<b>12.5</b>	<b>37.5</b>	<b>18.8</b>
	男	37.5	0.0	50.0	12.5
	女	25.0	25.0	25.0	25.0
別	95歳以上	<b>40.0</b>	<b>60.0</b>	<b>0.0</b>	<b>0.0</b>
	男	0.0	100.0	0.0	0.0
	女	50.0	50.0	0.0	0.0

※判定に用いた評価の基準



	評価方法				
	プラークの付着状態	食物残渣	舌苔	口臭	義歯清掃状況
市町数	21	0	0	0	0

	評価方法	
	その他	未実施
市町数	2	18

		75~79歳 (%)				80~84歳 (%)			
		良好	普通	不良	不明	良好	普通	不良	不明
全 体		<b>33.2</b>	<b>51.0</b>	<b>11.9</b>	<b>3.9</b>	<b>27.7</b>	<b>49.8</b>	<b>13.6</b>	<b>8.9</b>
	男	28.5	53.1	14.2	4.2	27.8	46.4	16.1	9.6
	女	37.0	49.3	10.1	3.6	27.6	52.4	11.7	8.4
神 戸		<b>35.1</b>	<b>53.9</b>	<b>10.3</b>	<b>0.7</b>	-	-	-	-
	男	30.9	56.7	11.8	0.6	-	-	-	-
	女	38.2	51.9	9.2	0.7	-	-	-	-
阪神南		<b>36.2</b>	<b>47.9</b>	<b>13.5</b>	<b>2.4</b>	<b>26.8</b>	<b>55.2</b>	<b>13.5</b>	<b>4.4</b>
	男	28.6	51.7	16.2	3.5	27.6	50.6	15.5	6.3
	女	41.7	45.1	11.5	1.7	26.4	57.9	12.4	3.3
阪神北		<b>21.9</b>	<b>56.1</b>	<b>5.3</b>	<b>16.7</b>	<b>17.4</b>	<b>53.5</b>	<b>9.3</b>	<b>19.8</b>
	男	18.9	54.7	9.4	17.0	11.6	58.1	11.6	18.6
	女	24.6	57.4	1.6	16.4	23.3	48.8	7.0	20.9
東播磨		<b>34.7</b>	<b>55.5</b>	<b>9.2</b>	<b>0.6</b>	<b>35.3</b>	<b>53.2</b>	<b>10.2</b>	<b>1.4</b>
	男	31.3	56.3	11.5	0.8	34.0	49.3	13.9	2.8
	女	37.8	54.7	7.1	0.4	36.4	57.0	6.6	0.0
北播磨		<b>17.2</b>	<b>40.4</b>	<b>12.6</b>	<b>29.8</b>	<b>11.9</b>	<b>21.4</b>	<b>10.7</b>	<b>56.0</b>
	男	13.9	43.0	17.7	25.3	13.0	26.1	17.4	43.5
	女	20.8	37.5	6.9	34.7	10.5	15.8	2.6	71.1
中播磨		<b>50.7</b>	<b>6.0</b>	<b>16.4</b>	<b>26.9</b>	<b>74.3</b>	<b>0.0</b>	<b>14.3</b>	<b>11.4</b>
	男	43.3	6.7	16.7	33.3	75.0	0.0	15.0	10.0
	女	56.8	5.4	16.2	21.6	73.3	0.0	13.3	13.3
西播磨		<b>55.3</b>	<b>38.3</b>	<b>6.4</b>	<b>0.0</b>	<b>46.2</b>	<b>51.3</b>	<b>0.0</b>	<b>2.6</b>
	男	57.7	38.5	3.8	0.0	57.1	42.9	0.0	0.0
	女	52.4	38.1	9.5	0.0	40.0	56.0	0.0	4.0
但 馬		<b>27.3</b>	<b>46.8</b>	<b>23.4</b>	<b>2.6</b>	<b>19.2</b>	<b>42.3</b>	<b>30.8</b>	<b>7.7</b>
	男	20.5	48.7	28.2	2.6	27.3	45.5	18.2	9.1
	女	34.2	44.7	18.4	2.6	13.3	40.0	40.0	6.7
丹 波		<b>20.3</b>	<b>33.8</b>	<b>40.5</b>	<b>5.4</b>	<b>19.0</b>	<b>44.4</b>	<b>30.2</b>	<b>6.3</b>
	男	25.9	33.3	37.0	3.7	22.2	44.4	29.6	3.7
	女	17.0	34.0	42.6	6.4	16.7	44.4	30.6	8.3
淡 路		<b>21.2</b>	<b>64.7</b>	<b>12.2</b>	<b>1.9</b>	<b>15.3</b>	<b>57.1</b>	<b>20.4</b>	<b>7.1</b>
	男	13.7	64.4	19.2	2.7	11.9	54.8	26.2	7.1
	女	27.7	65.1	6.0	1.2	17.9	58.9	16.1	7.1

		85～89歳 (%)				90～94歳 (%)				
		良好	普通	不良	不明	良好	普通	不良	不明	
全 体		25.4	24.6	25.4	24.6	31.3	12.5	37.5	18.8	
	男	24.2	21.0	29.0	25.8	37.5	0.0	50.0	12.5	
	女	26.8	28.6	21.4	23.2	25.0	25.0	25.0	25.0	
圏 域 別	神 戸		-	-	-	-	-	-	-	
		男	-	-	-	-	-	-	-	
		-	-	-	-	-	-	-		
	女	-	-	-	-	-	-	-		
	阪神南		56.3	0.0	25.0	18.8	100.0	0.0	0.0	0.0
		男	25.0	0.0	75.0	0.0	100.0	0.0	0.0	0.0
		66.7	0.0	8.3	25.0	100.0	0.0	0.0	0.0	
	女	66.7	0.0	8.3	25.0	100.0	0.0	0.0	0.0	
	阪神北		14.3	0.0	0.0	85.7	0.0	0.0	0.0	100.0
		男	20.0	0.0	0.0	80.0	0.0	0.0	0.0	100.0
		0.0	0.0	0.0	100.0	0.0	0.0	0.0	100.0	
	女	0.0	0.0	0.0	100.0	0.0	0.0	0.0	100.0	
	東播磨		20.0	60.0	20.0	0.0	0.0	50.0	50.0	0.0
		男	33.3	33.3	33.3	0.0	0.0	0.0	100.0	0.0
		0.0	100.0	0.0	0.0	0.0	100.0	0.0	0.0	
	女	0.0	100.0	0.0	0.0	0.0	100.0	0.0	0.0	
	北播磨		15.8	26.3	15.8	42.1	33.3	0.0	33.3	33.3
		男	23.1	23.1	15.4	38.5	50.0	0.0	50.0	0.0
		0.0	33.3	16.7	50.0	0.0	0.0	0.0	100.0	
	女	0.0	33.3	16.7	50.0	0.0	0.0	0.0	100.0	
中播磨		33.3	0.0	55.6	11.1	66.7	0.0	33.3	0.0	
	男	50.0	0.0	50.0	0.0	100.0	0.0	0.0	0.0	
	0.0	0.0	66.7	33.3	50.0	0.0	50.0	0.0		
女	0.0	0.0	66.7	33.3	50.0	0.0	50.0	0.0		
西播磨		57.1	42.9	0.0	0.0	-	-	-	-	
	男	40.0	60.0	0.0	0.0	-	-	-	-	
	100.0	0.0	0.0	0.0	-	-	-	-		
女	100.0	0.0	0.0	0.0	-	-	-	-		
但 馬		37.5	37.5	12.5	12.5	0.0	0.0	100.0	0.0	
	男	50.0	25.0	25.0	0.0	-	-	-	-	
	25.0	50.0	0.0	25.0	0.0	0.0	100.0	0.0		
女	25.0	50.0	0.0	25.0	0.0	0.0	100.0	0.0		
丹 波		-	-	-	-	-	-	-	-	
	男	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-		
女	-	-	-	-	-	-	-	-		
淡 路		12.8	31.9	34.0	21.3	0.0	33.3	66.7	0.0	
	男	9.1	22.7	36.4	31.8	0.0	0.0	100.0	0.0	
	16.0	40.0	32.0	12.0	0.0	100.0	0.0	0.0		
女	16.0	40.0	32.0	12.0	0.0	100.0	0.0	0.0		

		95歳以上 (%)				
		良好	普通	不良	不明	
全 体		40.0	60.0	0.0	0.0	
	男	0.0	100.0	0.0	0.0	
	女	50.0	50.0	0.0	0.0	
圏 域 別	神 戸		-	-	-	
		男	-	-	-	
		-	-	-		
	女	-	-	-		
	阪神南		-	-	-	
		男	-	-	-	
		-	-	-		
	女	-	-	-		
	阪神北		-	-	-	
		男	-	-	-	
		-	-	-		
	女	-	-	-		
	東播磨		-	-	-	
		男	-	-	-	
		-	-	-		
	女	-	-	-		
	北播磨		0.0	100.0	0.0	0.0
		男	0.0	100.0	0.0	0.0
		-	-	-		
	女	-	-	-		
中播磨		100.0	0.0	0.0	0.0	
	男	-	-	-		
	100.0	0.0	0.0	0.0		
女	100.0	0.0	0.0	0.0		
西播磨		100.0	0.0	0.0	0.0	
	男	-	-	-		
	100.0	0.0	0.0	0.0		
女	100.0	0.0	0.0	0.0		
但 馬		0.0	100.0	0.0	0.0	
	男	0.0	100.0	0.0	0.0	
	-	-	-			
女	0.0	100.0	0.0	0.0		
丹 波		-	-	-		
	男	-	-	-		
	-	-	-			
女	-	-	-			
淡 路		-	-	-		
	男	-	-	-		
	-	-	-			
女	-	-	-			





#### 12 定期的な歯科健診の受診

		全 県 (%)		
		受診して いる	受診して いない	不明
全 体		42.4	39.3	18.3
	男	40.6	40.5	18.8
	女	43.8	38.4	17.8
年 齢	75歳	41.1	42.7	16.2
	~79歳	38.6	44.6	16.8
	男	43.1	41.1	15.8
	女	46.1	30.5	23.4
80歳	45.8	29.8	24.4	
~84歳	46.4	31.0	22.6	
男	38.4	43.2	18.4	
女	40.9	42.4	16.7	
85歳	35.6	44.1	20.3	
~89歳	31.3	43.8	25.0	
男	37.5	37.5	25.0	
女	25.0	50.0	25.0	
別	95歳~	80.0	20.0	0.0
	男	100.0	0.0	0.0
	女	75.0	25.0	0.0


		75～79歳 (%)			80～84歳 (%)			85～89歳 (%)		
		受診して いる	受診して いない	不明	受診して いる	受診して いない	不明	受診して いる	受診して いない	不明
全 体		41.1	42.7	16.2	46.1	30.5	23.4	38.4	43.2	18.4
	男	38.6	44.6	16.8	45.8	29.8	24.4	40.9	42.4	16.7
	女	43.1	41.1	15.8	46.4	31.0	22.6	35.6	44.1	20.3
神 戸		37.1	62.9	0.0	-	-	-	-	-	-
	男	32.6	67.4	0.0	-	-	-	-	-	-
	女	40.4	59.6	0.0	-	-	-	-	-	-
阪神南		53.2	27.8	19.0	56.9	28.8	14.4	12.5	6.3	81.3
	男	52.1	29.7	18.1	58.0	26.4	15.5	0.0	0.0	100.0
	女	54.1	26.3	19.6	56.2	30.1	13.7	16.7	8.3	75.0
阪神北		51.8	30.7	17.5	45.3	31.4	23.3	14.3	0.0	85.7
	男	43.4	35.8	20.8	46.5	34.9	18.6	20.0	0.0	80.0
	女	59.0	26.2	14.8	44.2	27.9	27.9	0.0	0.0	100.0
東播磨		17.6	22.8	59.6	20.0	21.5	58.5	60.0	40.0	0.0
	男	20.3	20.9	58.8	19.1	22.3	58.6	33.3	66.7	0.0
	女	14.9	24.7	60.5	20.8	20.8	58.3	100.0	0.0	0.0
北播磨		50.3	49.0	0.7	46.4	50.0	3.6	36.8	57.9	5.3
	男	48.1	51.9	0.0	45.7	52.2	2.2	46.2	53.8	0.0
	女	52.8	45.8	1.4	47.4	47.4	5.3	16.7	66.7	16.7
中播磨		49.3	32.8	17.9	51.4	40.0	8.6	44.4	44.4	11.1
	男	40.0	43.3	16.7	60.0	35.0	5.0	33.3	50.0	16.7
	女	56.8	24.3	18.9	40.0	46.7	13.3	66.7	33.3	0.0
西播磨		56.3	41.3	2.5	66.7	29.6	3.7	42.9	57.1	0.0
	男	54.2	43.8	2.1	66.7	33.3	0.0	44.4	55.6	0.0
	女	59.4	37.5	3.1	66.7	27.3	6.1	40.0	60.0	0.0
但 馬		46.8	53.2	0.0	53.8	42.3	3.8	25.0	75.0	0.0
	男	41.0	59.0	0.0	54.5	36.4	9.1	50.0	50.0	0.0
	女	52.6	47.4	0.0	53.3	46.7	0.0	0.0	100.0	0.0
丹 波		68.9	27.0	4.1	52.4	47.6	0.0	-	-	-
	男	81.5	18.5	0.0	51.9	48.1	0.0	-	-	-
	女	61.7	31.9	6.4	52.8	47.2	0.0	-	-	-
淡 路		68.6	31.4	0.0	62.2	33.7	4.1	48.9	46.8	4.3
	男	65.8	34.2	0.0	71.4	23.8	4.8	50.0	40.9	9.1
	女	71.1	28.9	0.0	55.4	41.1	3.6	48.0	52.0	0.0

		90～94歳 (%)			95歳 (%)		
		受診して いる	受診して いない	不明	受診して いる	受診して いない	不明
全 体		31.3	43.8	25.0	80.0	20.0	0.0
	男	37.5	37.5	25.0	100.0	0.0	0.0
	女	25.0	50.0	25.0	75.0	25.0	0.0
神 戸		-	-	-	-	-	-
	男	-	-	-	-	-	-
	女	-	-	-	-	-	-
阪神南		0.0	0.0	100.0	-	-	-
	男	0.0	0.0	100.0	-	-	-
	女	0.0	0.0	100.0	-	-	-
阪神北		0.0	0.0	100.0	-	-	-
	男	0.0	0.0	100.0	-	-	-
	女	0.0	0.0	100.0	-	-	-
東播磨		0.0	100.0	0.0	-	-	-
	男	0.0	100.0	0.0	-	-	-
	女	0.0	100.0	0.0	-	-	-
北播磨		66.7	33.3	0.0	100.0	0.0	0.0
	男	100.0	0.0	0.0	100.0	0.0	0.0
	女	0.0	100.0	0.0	-	-	-
中播磨		33.3	66.7	0.0	100.0	0.0	0.0
	男	0.0	100.0	0.0	-	-	-
	女	50.0	50.0	0.0	100.0	0.0	0.0
西播磨		-	-	-	100.0	0.0	0.0
	男	-	-	-	100.0	0.0	0.0
	女	-	-	-	-	-	-
但 馬		0.0	100.0	0.0	50.0	50.0	0.0
	男	-	-	-	-	-	-
	女	0.0	100.0	0.0	50.0	50.0	0.0
丹 波		-	-	-	-	-	-
	男	-	-	-	-	-	-
	女	-	-	-	-	-	-
淡 路		66.7	33.3	0.0	-	-	-
	男	50.0	50.0	0.0	-	-	-
	女	100.0	0.0	0.0	-	-	-



13 8020目標値達成者数

		全 県	地 域 別									
			神 戸	阪神南	阪神北	東播磨	北播磨	中播磨	西播磨	但 馬	丹 波	淡 路
全 体		68.6	76.5	69.2	74.2	60.9	65.1	62.6	70.3	57.0	57.7	54.9
	男	68.2	75.5	67.4	71.6	63.9	66.7	63.2	74.0	59.3	55.6	54.7
	女	69.0	77.2	70.4	76.6	57.9	63.2	62.1	66.3	55.0	59.0	55.2
年 齢 別	75歳	73.2	76.5	72.6	80.7	66.5	71.5	70.1	73.3	66.2	62.2	67.3
	~79歳	72.2	75.5	69.9	81.1	69.7	72.2	66.7	76.6	64.1	59.3	63.0
	男	74.0	77.2	74.5	80.3	63.2	70.8	73.0	68.3	68.4	63.8	71.1
	女	60.5	-	64.7	66.3	51.1	54.8	62.9	79.4	46.2	52.4	48.0
80歳	62.3	-	64.4	62.8	53.8	56.5	75.0	88.5	54.5	51.9	59.5	
~84歳	59.1	-	64.9	69.8	48.6	52.6	46.7	73.8	40.0	52.8	39.3	
男	39.5	-	68.8	57.1	80.0	57.9	22.2	22.2	25.0	-	27.7	
~89歳	32.8	-	25.0	40.0	66.7	69.2	16.7	20.0	25.0	-	18.2	
女	46.8	-	83.3	100.0	100.0	33.3	33.3	25.0	25.0	-	36.0	
90歳	56.3	-	100.0	100.0	0.0	100.0	0.0	-	0.0	-	66.7	
~94歳	62.5	-	100.0	100.0	0.0	100.0	0.0	-	0.0	-	50.0	
女	50.0	-	100.0	100.0	0.0	100.0	0.0	-	0.0	-	100.0	
95歳以上	20.0	-	-	-	-	0.0	100.0	0.0	0.0	-	-	
男	0.0	-	-	-	-	0.0	-	-	-	-	-	
女	25.0	-	-	-	-	-	100.0	0.0	0.0	-	-	



(参考) 8020目標値  
75~79歳 : 20歯以上  
80~84歳 : 20歯以上

